

H.9

**Notice of Allowability**

Application No.

10/603,400

Applicant(s)

STRAHM, CHRIS N.

Examiner

Ronald W. Leja

Art Unit

2836

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment of 4/13/2005.
2. ☒ The allowed claim(s) is/are 1 and 3-20.
3. ☒ The drawings filed on 24 June 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

Ronald W. Leja  
 Primary Examiner  
 Art Unit 2836

6/22/05

Art Unit: 2836

The following is an Examiner's Statement of Reasons for Allowance: The Prior Art of Record does not disclose nor suggest the claimed combinations found within Independent Claims 1, 6 and 14. Lei (5,729,418) appears to be the closest Prior Art and Applicant's arguments of 4/13/2005 are drawn to the application of Lei to the claim language by the Examiner. The arguments have been considered and are deemed persuasive. Lei does not appear to "generate a substantially constant current". Day (3,603,811) also provides for current limiting and in Figure 4B, illustrates, (addressing Claim 14), a substantially constant-resistance operating mode below a voltage differential of about 1V and appears to illustrate a substantially constant-current operating mode, but not for a second higher voltage differential. There does not appear to be a transition operating mode when the magnitude is between the first voltage differential and a second higher voltage differential. It is the opinion of the Examiner that there does not appear to be strong motivation for modifying the Day reference to obtain the claimed combinations found within Independent Claims 1, 6 and 14. The claimed combinations of Claims 1 and 6 essentially require that the control path controls the impedance (to be a high impedance) of the signal path by generating "a substantially constant current" when the magnitude of the voltage differential between the first and second terminals is greater than a second predetermined voltage differential. Claim 6 additionally requires the generation of a mid-point terminal voltage by the control

Art Unit: 2836


path for a voltage between the terminals less than a predetermined first voltage differential.


Any comments considered necessary by Applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ronald W. Leja whose telephone number is (571)272-2053. The examiner can normally be reached on Monday thru Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Sircus can be reached on (571)272-2800. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Ronald W Leja  
Primary Examiner  
Art Unit 2836



rwl  
June 22, 2005